

Object – Oriented Design with UML and Java

Part XIV: Java Reflection

Reflection

- Also known as introspection.
- Enables a running program to ask a class for details about its
 - Attributes / Methods / Constructors / Annotations (JDK 1.5)
- Enables a running program to load a new class, create new instances of that class, and invoke methods on the fly, without knowing anything about the class at compile-time.
- Is essential to the operation of many advanced Java features
 - Javadoc
 - Enterprise Java Beans (EJB)
 - JUnit framework
 - Configurable application frameworks with “pluggable” components
 - Aspect Oriented Programming (AOP) using annotations
- Java’s reflection is similar to RTTI (Run-Time Type Identification) in C++, only better.

Reflection (cont.)

How can a program find out about a class?

- Three ways to get a class object:

```
Class c1 = Class.forName( "myPackage.MyClass" );
Class c2 = someObject.getClass();
Class c3 = myPackage.MyClass.class;
```

Then...

- Ask the Class object for its Methods, Fields, and Constructors
- Ask the Fields about their types
- Ask the Methods about their names, parameters, exceptions, and return types
- Ask any of the above about their annotations

Reflection (cont.)

- Instances of the class `Class` represent classes and interfaces in such a way that they can be manipulated at run time. The Java Virtual Machine automatically constructs `Class` objects as classes are dynamically *loaded* (as needed).
- Java's class loader (`java.lang.ClassLoader`) eliminates the need for a link step (as required in C++). This is a powerful feature.

```
String myClassName = "myPackage.MyClass";
try {
    Class class = Class.forName( myClassName );
    Object o = class.newInstance();
    MyClass mc = (MyClass) o;
    . . .
}
```

`catch(Exception ex) . . .`

java.lang.Object

- The class **Object** is the root class for all other classes. If a class specifies no superclass, it extends **Object** by default.
- Therefore, every class inherits these methods from *class Object*:

```
public final Class getClass();
public String      toString();
public boolean     equals( Object o );
public int         hashCode();
protected Object   clone() throws CloneNotSupportedException;
protected void     finalize();
// Thread related stuff:
public final void wait() throws InterruptedException;
public final void notify();
public final void notifyAll();
```

java.lang.Object (cont.)

public String	toString(); // comes in handy
public boolean	equals(Object o); // OVERRIDE ME
public int	hashCode(); // OVERRIDE ME
protected Object	clone(); // don't use
protected void	finalize(); // don't use

- The methods `hashCode()` and `equals()` go together. The designers of Java anticipated the ubiquitous use of `Hashtable` and `HashMap`. These data structures rely on value-based equality for the key (as opposed to memory-address equality). Thus it is essential to override `equals()` for any class that might be used as a hashing key. The `hashCode()` method is purely for performance.
- Refer to Chapter VII – Collection Classes

java.lang.Class

What can a program do once it knows about a class?

- Perform on-the-fly maintenance without bringing down the system – It is possible to load new classes into a running system and use them. Of course this must be a well-designed feature of the system.
- Perform framework functions using new classes (e.g., GUI builders and JUnit) – Especially since the advent of annotations in JDK 1.5.
- Generate adapter and proxy classes (e.g., Enterprise Java Beans).
- Other clever stuff.
- There is one instance of class **Class** per class per **ClassLoader**.

java.lang.Class (cont.)

Here are some of the **public** methods from *class Class* (pre-JDK 5):

- Note: *no constructor.*
- Many of these methods might throw an Exception

```
static Class  forName( String className ) // Variation of Singleton
String        getName();
boolean       isInterface();
Object        newInstance();
Class         getSuperclass();
Class[]
ClassLoader   getClassLoader();
Constructor[] getDeclaredConstructors();
Method[]
Method        getDeclaredMethod( String name, Class[] paramTypes );
Field[]
getFields();
```

java.lang.reflect.Method

```
public final class Method . . . // Pre JDK 1.5
{
    public boolean equals( Object o );
    public Class getDeclaringClass();
    public Class[] getExceptionTypes();
    public int getModifiers();
    public String getName();
    public Class[] getParameterTypes();
    public Class getReturnType();
    public Object invoke( Object o, Object[] args ) throws . . .;
    . . .
}
```

// To see if a method is static, use:

```
java.lang.reflect.Modifier.isStatic( m.getModifiers() );
```

Invoke a Method

- Given information (as *metadata*) about a class & a method (that takes no arguments and returns nothing) create an instance of the class and invoke the method.

```
try {  
    String className = getClassNameFromMetaDataFile();  
    String methodName = getMethodNameFromMetaDataFile();  
    Class c = Class.forName( className ); // Load the class  
    Object o = c.newInstance(); // Instantiate an object  
    Method m = c.getDeclaredMethod( methodName, new Class[0] );  
  
    m.invoke( o, new Object[0] ); // Invoke the method  
}  
catch( Throwable t ) { ...; }
```

Invoke a Method (cont.)

- Example: use reflection to invoke class Foo's method: bar(FooBar fb) : Barf
- To invoke a static method, use the class object as the invocation target.

```
try {  
    Class    fooClass = Class.forName( "myPackage.Foo" );  
    Class    fooBarClass = myPackage.FooBar.class;  
    Object   targetObj = fooClass.newInstance();  
    Object   fooBarArg = new FooBar( 46 );  
    Class[]  barParamTypes = new Class[] { fooBarClass };  
    Method   bar = fooClass.getDeclaredMethod( "bar", barParamTypes );  
    Object[] barArgs = new Object[] { fooBarArg };  
    Barf     barReturnObj = (Barf) bar.invoke( targetObj, barArgs );  
  
}  
catch( Throwable t ) { ...; }
```

Inspect a class at run time

- Get self-descriptive “introspective” information from any object

```
class Reflect {  
    public static void main( String[] argv ) {  
        String foo = "foo"; // new String( "foo" );  
        Object o = foo;  
        Class c = o.getClass();  
        System.out.println( "The class " + c.getName() + " has " +  
            c.getDeclaredConstructors().length + " constructors." );  
    }  
}
```

- The program outputs:

The class java.lang.String has 13 constructors.

Reflection & Encapsulation

- A reflection-based “object parser” must obey the attribute visibility rules of Java. Therefore, it can never look at the private attributes of other classes. It can look at protected attributes of a class only if it is in the same package. Any attempts to circumvent this restriction will result in an `IllegalAccessException`.
- There is an advanced work around to this, however, using `java.lang.reflect.AccessibleObject`, the superclass to `Field`, `Method`, and `Constructor`. This class has a `setAccessible(boolean)` method, where a value of `true` indicates that the reflected object should suppress Java language access checking when it is referenced via the reflection API.

Static Polymorphism

```
// Here is a work around to the lack of static polymorphism in Java.  
import java.lang.reflect.Method;  
public class StaticPoly {  
    public static void main( String[] args ) {  
        StaticPoly staticPoly = new StaticPoly();  
        StaticPoly subStaticPoly = new SubStaticPoly();  
        System.out.println( "A=" + staticPoly.foo() );  
        System.out.println( "B=" + subStaticPoly.foo() );  
        System.out.println( "C=" + invokeFoo( staticPoly ) );  
        System.out.println( "D=" + invokeFoo( subStaticPoly ) );  
    }  
    public static int foo() {  
        return 1;  
    }  
}
```

Static Polymorphism (cont.)

```
public static int invokeFoo( Object o ) {  
    try {  
        Class c = o.getClass();  
        Method m = c.getDeclaredMethod( "foo",  
                                         new Class[] {} );  
        Object returnVal = m.invoke( o, new Object[] {} );  
        Integer returnInt = (Integer) returnVal;  
        return returnInt; // uses "auto-boxing"  
    }  
    catch( Throwable t ) {  
        t.printStackTrace();  
    }  
    return -1;  
} }
```

Static Polymorphism (cont.)

```
class SubStaticPoly extends StaticPoly {  
    public static int foo() {  
        return 2;  
    }  
}
```

// The program outputs:

A=1

B=1

C=1

D=2

Other useful reflection operations

instanceof

- A Java *operator* that tests if an object is an instance of a class.
The class must be specified at compile time.

```
if( o instanceof java.lang.reflect.Method ) ...
```

isAssignableFrom(Class c)

- From class Class. Determine if a class is a subclass of c or implements interface c.

isInstance(Object obj)

- From class Class. Determine if an object is an instance of a class.

JUnit – Testing Framework

- JUnit is a popular unit *testing* framework, available from:
<http://www.junit.org/>
- Before JDK 1.5 came along with annotations, JUnit Test classes needed to extend **TestCase**, and test methods relied on the following naming conventions:

```
void setUp()      // sets up data for tests
void testFoo()   // testXXX methods run tests
void tearDown() // restores environment
```

– Tests call: **assert(<boolean expression>);**

JUnit (cont.)

- With JDK 1.5 annotations, this got a lot easier!

```
@Test // Annotate the method as a test method
public void aMethodWithoutTestInItsName() {
    assertEquals(-1, myFunction( 2, 3 ));
}

@BeforeClass // Invoke once BEFORE all test methods
public void noNamingConvention() {
    doMeFirstToSetUpTheTestSuite();
}

@After // Invoke AFTER every test method
public void annotationsAreGood() {
    doMeToCleanUpAfterEachTest();
}
```

JUnit (cont.)

More JUnit annotation examples...

- The JUnit framework will use reflection to find these test methods and invoke them, auto-magically.
- Learn JUnit. Use JUnit. Test your code!

```
@Test(expected = ArithmeticException.class)
public void divideByZero() {
    int infinity = 1.0 / 0.0;
}
@Test(timeout = 1000) // wait one second
public void infiniteLoop() {
    while (true) {}
}
```